

What is Claimed is:

1. A taser holster, which comprises:

a carrier for detachably fastening on a user's body;

5 a pouch panel which is overlappedly provided on said carrier and defines a storage compartment, having a top opening, between said carrier and said pouch panel for receiving a taser in said storage compartment; and

10 a shielding flap, having a predetermined size and shape, overlappedly extended from said carrier for selectively folding from a closed position to an opened position, wherein in said closed position, said shielding flap is folded to enclose said top opening of said storage compartment and attach with the pouch panel for covering a butt of said taser, and in said opened position, said shielding flap is attached to said carrier, which allows said taser withdrawing from said storage compartment.

15 2. A taser holster, as recited in claim 1, wherein said carrier comprises a pad body, having a front side and a rear side, and a belt hanger upwardly extended from a longitudinal edge of said pad body for fastening on a waist position of said user.

20 3. A taser holster, as recited in claim 2, further comprising a first pair of holding elements provided on an outer side of said pouch panel and an inner side of said shielding flap respectively and a second pair of holding elements provided on an outer side of said shielding flap and an outer side of said belt hanger respectively, wherein said shielding flap is adapted to securely enclose said storage compartment in said closed position by detachably fastening said first pair of holding elements together, and wherein said shielding flap is adapted to fold upward and hold by said belt hanger in said opened position by detachably fastening said second pair of holding element together so as to communicate said storage compartment with outside.

25 4. A taser holster, as recited in claim 2, wherein said belt hanger comprises an elongated durable belt having an affixing end affixed to said pad body and a free end, wherein said belt hanger is formed by folding said durable belt overlappedly to form a hanging loop wherein a pair of fasteners are provided at said affixing end portion and

said free end portion of said durable belt such that said free end portion of said durable belt is adapted to detachably attach to said affixing end portion thereof to form said hanging loop by attaching said pair of fasteners with each other.

5 5. A taser holster, as recited in claim 3, wherein said belt hanger comprises
an elongated durable belt having an affixing end affixed to said pad body and a free end,
wherein said belt hanger is formed by folding said durable belt overlappedly to form a
hanging loop wherein a pair of fasteners are provided at said affixing end portion and
said free end portion of said durable belt such that said free end portion of said durable
belt is adapted to detachably attach to said affixing end portion thereof to form said
10 hanging loop by attaching said pair of fasteners with each other.

6. A taser holster, as recited in claim 1, further comprising a securing unit
which comprises a first and second securing straps extended from said pouch panel and
said shielding flap respectively, a buckle plug provided at a free end of said first securing
strap, and a corresponding buckle socket provided at a free end of said second securing
15 strap, so that said shielding flap is securely locked up at said closed position by
detachably buckling up said buckle plug and said buckle socket.

7. A taser holster, as recited in claim 3, further comprising a securing unit
which comprises a first and second securing straps extended from said pouch panel and
said shielding flap respectively, a buckle plug provided at a free end of said first securing
20 strap, and a corresponding buckle socket provided at a free end of said second securing
strap, so that said shielding flap is securely locked up at said closed position by
detachably buckling up said buckle plug and said buckle socket.

8. A taser holster, as recited in claim 5, further comprising a securing unit
which comprises a first and second securing straps extended from said pouch panel and
said shielding flap respectively, a buckle plug provided at a free end of said first securing
25 strap, and a corresponding buckle socket provided at a free end of said second securing
strap, so that said shielding flap is securely locked up at said closed position by
detachably buckling up said buckle plug and said buckle socket.

9. A taster holster, as recited in claim 2, further comprising a patch pocket,
30 having a top open, provided in said storage compartment for placing accessories, wherein
said patch pocket is formed by a pocket flap affixed between said pouch panel and said

pad body such that said patch pocket is provided between said pocket flap and said pad body.

10. A taster holster, as recited in claim 3, further comprising a patch pocket, having a top open, provided in said storage compartment for placing accessories, wherein
5 said patch pocket is formed by a pocket flap affixed between said pouch panel and said pad body such that said patch pocket is provided between said pocket flap and said pad body.

11. A taster holster, as recited in claim 4, further comprising a patch pocket, having a top open, provided in said storage compartment for placing accessories, wherein
10 said patch pocket is formed by a pocket flap affixed between said pouch panel and said pad body such that said patch pocket is provided between said pocket flap and said pad body.

12. A taster holster, as recited in claim 5, further comprising a patch pocket, having a top open, provided in said storage compartment for placing accessories, wherein
15 said patch pocket is formed by a pocket flap affixed between said pouch panel and said pad body such that said patch pocket is provided between said pocket flap and said pad body.

13. A taster holster, as recited in claim 6, further comprising a patch pocket, having a top open, provided in said storage compartment for placing accessories, wherein
20 said patch pocket is formed by a pocket flap affixed between said pouch panel and said pad body such that said patch pocket is provided between said pocket flap and said pad body.

14. A taster holster, as recited in claim 7, further comprising a patch pocket, having a top open, provided in said storage compartment for placing accessories, wherein
25 said patch pocket is formed by a pocket flap affixed between said pouch panel and said pad body such that said patch pocket is provided between said pocket flap and said pad body.

15. A taster holster, as recited in claim 8, further comprising a patch pocket, having a top open, provided in said storage compartment for placing accessories, wherein
30 said patch pocket is formed by a pocket flap affixed between said pouch panel and said

pad body such that said patch pocket is provided between said pocket flap and said pad body.